An Essay Inflammation. Respectfully Submitted Homeopathic Medical College Pennsylvania
On the 10th day of February 1850

Porthe
Doctorate of Medicine John Redman Coxe Just. Philadelphia -

"In the first steps of our inquiry, we meet indeed with much variety, and obscurity; but the further we penetrate into Nature, we find so much analogy amongst her works, as to be forced to acknowledge, and to revere, her simplicity."

Pringle On Army Diseases.

Refore I proceed to consider the subject of Inflammation, it may not be improper, to consider certain Thenomena occurring in the system; which I shall hereafter enclearour to shew, are intimately connected with it, as they tend to elucidate many of its symptoms, and in

has hitherto been accomplished-

The Thenomena alluded to, are Animal Heat, and the Red colour of the blood; And here I mean not to enter into a copious detail, of all the theories which have been produced, to account for the causes of these interesting, and curious operations of Nature; asit would far exceed the limits I have prescribed for myself, in this Espay - I shall content myself with stating the method suppose to been played by Nature to effect her purpose, with my reasons for the opinion- After which I shall proceed to heat of Inflammations, and shew the place they hold in this curious process of the disordered animal economy, made use of ley Nature, to regain her empire in the system -I shall first day a few words with regard to the blood itself; by which I mean-That fluid which circulates in the human body, by means of the arteries and beins; is of a recleolour; and appears to be one homogeneous map, whilst warm, and in motion; and which supports life, by funishing to every part of the body, its heculiar mutitive portion.

In tracing the blood through its circulation, we are struck with the great difference in its qualities, in the arteries and beins. This difference consists It In its being of a more fluid consistence in the arteries, than in the beins Its intensity of colour being greater in the arteries, than in the beins I for arterial blood puture bying much some than benous. Me are also struck with the difference of its temperature in different species of animals; some having it wanner, and other colder, than the medium in which they like

In view of these differences in the same peculiar fluid, we are naturally led to inquire into the process, by which Nature accomplishes onch envious phenomena. I will therefore, in elucidation, proceed to state some particulars be, while circulating in the body, a perfectly homo geneous fluid, yet, by permitting it to stand for some time, when drawn from the body, by here section, or otherwise, we find it deparate into two portions. Terum, or Symph, and brafamentum, or bruise last is further deparable into coagulable lymph, or gluten, and red globules.

This is of a transparent yellowish colour, remaining fluid in almospheric temperature, but coagulating at the 160" degree of Fahrenheit It seems to be this part of the blood, which is heculiarly appropriated, for the barrows secretions in the human body - This, I infee, from finding it in a much smaller proportion in the blood of healthy individuals, whose decretions are normal, thanine those of lax, and debilitated habits, in whom this function is imperfectly performed, and in Asiatic Cholera, the serous, or watery portion of the blood, being exhausted by the intestinal dischar ges, as Rice Water stools, the winary discharge is almost entirely ouspended, and the bladder is found devoid of wine.

of the propamentum. This is divided, as above observed, into Gluten, and Red Globules. The former may be ob tained, either by washing away the red globules, or leg collecting it on a stick, by stirring up the blood while warm. It may be rendered perfectly white, by repeated washings, and appears to be of a filerous structure, whence it has been denominated the fibrous portion of the blood. This part of the blood appears to be more particularly serviceable in the formalion, and growth of the body- this I infer, from observing its use in wounds and fractures, which never heal, til by the affusion of this substance, as granulations, or calles, a bed is formed, for the elongation of the repels; or, until the force of the circulation in the ruptured repels, is sufficient of itself, to four a cavity in it- This portion of the blood is in greater proportion in healthy, strong, and robust habits, than in those of an opposite character. Of the Red Globules_ This part of the blood bears a very important part in the animal economy- their particular use I trust to make apparent, in the course

of the following inquiry- I few words on the subject of respiration, will pechaps simplify the discufsion. It is well known, that bital are is abso lutely necessary in the process of respiration, and that our existence is soon terminated, without its invigorating action upon the lungs- yet, as by itself, it would prove too stimulating to our systerns, another species of air is combined with it, in the proportion of nearly three fourths, which sufficiently abates its exceptive stimulus_ This combination forms the common atmospheric an which descending into the lungs, in the act of inspiration, the vital, or oxygenous portion, is, by some peculiar unknown animal proces; or pechaps, by some chemical affinity, decour posed by which wonderful and mysterious oferations of the animal economy, we become betted to produce that vivilying principle. Heat; which in the arrival body is known by the name of Animal Heat - This decomposition, lif wit may be terned) takes place, either in the lungs thebuselus, or, in the moment of its combining with the blood. It must be effected in one of These ways, as an connot exist in a formal

State, in the blood reefaels; barious experiments having fully proved, that injecting even a minute quantity of pure air into them, produces almost instant death; That the Opygen is deparated from the other portion of the air, and decour prosed is evident from 1" The absolute nicessity of this opecies of au to animal life -I. From a given anaulity sustaining life but a certain time - 5. The gas emitted by expiration, is a mixture of lawouic acid gas, Nitrogen gas, & vital aie; the Nitrogen existing in an undiminished proportion - 4" of this was not the case, the same quantity, or portion of air, would be fully adequate to the purposes of respiration for ever; and, if some preculiar bivifying principle did not exist in the oxygenous portion of the sie, we could, with equal lase respire the Agotic portion of the almos -Johne, or ellen Hydrogen gas-The utility and vital necepity of oxygenating the blood in some manner, appears to have been as well , or nearly as well, under Stood by galen, as it is at the present dayrefer to his book de utilitate respirationis"

Liber XVI, translated by John Redman Coxe M.D. of Philadelphia, wherein this is made most clearly apparent; and the perusal of which will amply repay the time spent. From what has been stated, it will be easy to comprehence in what manner death ensues from drowning, hanging, de big the absence of bital air in the lungs, without which respiration is impossible. The belood is prevented passing through the lungs, from the right to the left side of the heart- It will therefore be accumulated in the beins; Since the arteries are enabled to propel their contents into them, by the muscularity of their coats Having thus rendered the elecomposihow of byggen evident, where we it may take place I now proceed to speak of its influence, and action on the body, in the state of its absorption and fixation. And, first of the Red colour of the blood, and its more florid appearance in the arteries, than in the beur His difference of colour must take place in the lefter circulation, in the pas-

Dage of the blood from the right, to the left side of the heart, through the lungs- various well authenticated facts are July prefficient to are thouse this conclusion; and it now only re mains to shew, that the cause of this curious change is the absorption of oxygen from the atmosphere; for which purpose I proceed to enumerate several facts, and experiments, tending to prove it, and which are quoted by various authors -In If the blackish venous blood be exposed in a piece atmosphere, it becomes of a remillion colour at its surface; Air which has long remained in contact with blood, extinguisher candles, and precipitates lime water_" 2=" Air injected into a eleterminate portion of a hein, between two ligatures, renders the blood of an higher colour" 3. "By with drawing the sin which is in contact with the blood, it may again be made to lose its It Blood deposited in a vacuum, by Beccaria and others, remained black, but assumed a most beautiful vermillion hue, as soon as it was exposed to the air, and, "blood covered with oil, preserved

its black colour -5" " Priently caused the blood of a sheep to pass successively into vital air, atmospherican, mephitic and, De, and found the blackest parts assumed a red colour in respirable civ; and that the inter-Dity of this colour, was in proportion to the wital air present; The same philosopher filled a bladder with blood, and exprosed it to pure air; that portion of blood which touched the surface of the bladder, became red, while the internal part remained black. In absorption of an Merefore, took place, through the bladder, in the same man ner as when the contact is direct. 6 to sercise increases the florid appearance of the blood, owing to increased respiration, by Which a larger portion of drygen is absorbed in a given time -To Asthmatic person do not, in general, popsels The flored appearance of blood, observable in healthy individuals, owing to impreded respiration_ The Red Globules are very inplanmable On what portion of the blood closs the oxygen act, to produce the Red Globules? This question it is difficult to answer satisfactorily

or with precision. We know the Red globules contain a large proportion of Iron, in the state of an Oxyde, and also Thosphoric acid This Iron, I infer to be the product of animal organization. 1" Because we cannot otherwise account for the quantity always present in the blood-2. From analogical induction for Iron appears to be one of the products of organization, or legetation; as it is found in regetables which are supported solely by air, and water This unalogy will be much strengthened, when we conside er, that seeds ouspended by means of threads, on the surface of pure distilled water, will nevertheless grow, and increase in weight, and are capable of being reduced to the state of earth; tho' More existed in the water itself -

In auswer then to the query above proprounded, I reply; I think it more than probable, the Gerum is the portion, and for the following reasons- 1th The great solubility of the Red globules in the serum. 2th In health, the serum always decreases in the inverse ratio of the increase of the Red globules- Hence in a map of healthy blood, one half, or more, is red cruor and

in strong labouring pursons, the Gerum constitutes only a third part, and is still more diminished in fevers, often to a fourth and fifthe part of the maps. even the the secretions are cluminished at the same time - 3" By the addition of substances to the Lerum, containing a large quantity of dyggen as Nitric Acid - a light rose colour is produced. Here the how does not exist in the proportion necessary to som a red colour, but is sufficient only to produce, as it were, a grade of it-Having thus endeavoured to shew that the decomposition of drygen, and consequent fixation of its base, are the causes of the Red, colour of the blood; I now proceed to prove that Animal Heat is dependant on the other principle of drygen, which is absorbed by the blood refsels, and conveyed by them, to every part of the

body This portion, or Caloric, which kept the Daygen in a gaseous state, and which is necessary to the formation of all cieriform bluids, must evidently escape from its combination, and be set at likely, at the instant of the decomposition of the bital air, and is instant tantameously taken up by the blood, whose ca-

find it to be with the state of respiration. All the more perfect animals, Man, Quadruped, and Birds, which are known to generate the highest degrees of heat, have likewise, the greatest proportion of Red globules in their blood. The Amphibious tribe which

portional climination in the quantity of Red blood. Next to these come the branchial fishes, which are still more deficient, and apparently in an exact proportion; And lastly, those which are destitute of zills, have their bluios as transparent, as the element in which they line, and are nearly of the same temperature— as oysten, cockles de.

5. The heat is nearly, if not quite, the same in every part of the body of the body is diminished by homorrhage.

Respiration then, may be considered as an operation, by means of which vital air continually paper, from the gaseous to the concrete state. It must therefore, at each instant abandon the heat which held it in solution, and in the state of gas. This heat, produced at every inspiration, must be proportioned to the volume of the lungs - to their activity—the purity of the air- the rapidity of the inspiration—tion—and, barious other causes—

The above fact, readily explain, why those animals, which have but one awiele, and one ventricle, have cold blood; and why the heat of animals is, in a great measure, proportioned to the volume of their lungs. In the former case the blood closes not pass through the lungs, to imbibe this vivipying principle from the atmosphere. In the latter the air is decomposed more speedily, and in larger quantities. The phenomena of respiration appear therefore to be essentially the same, as those of bombustion.

The quantity of blood in the human body is now, I believe, generally abuitted to equal from thirty to forty pounds; of which a little more than half is said to be true red blood; which reducts depends on the presence, and constant renewal of Oxygen. This gas is known to be one of the most powerful stimule in the Municise, and not only the animal, but the regetable king downs, owe in a great degree, then existence to it. This immense quantity of bygen, in its papage from the heart, afsists in the circulation of the blood, by its stim whating action whom the muscular fibres of the heart, and arteries, exclusive of the stimulus of distention from the whole maps of blood) by which a contraction of those tules is effected. The blood is carried by the arteries to all parts of the body, in different proportions- Those parts which are

The subjects of motion, harticularly the voluntary, receive a very large portion of the red blood hence, the muscles, in proportion to their size, receive more red blood than other parts, while those which are merely added to give shape to the body, and attach ment to its various parts, and which consequently require compactness only, as bones, tendous, and liga ments, have merely the serous, and glutenous por tions conveyed to them - The we not then, authorized to conclude, that these globules serve some inportant use in the muscles? The cause of muscular motion, has long been a desideratum to the Thysiologist, and I believe, that Dyygen is the cause of the initability and like of organized bodies, and that, after it has effected this important part in the system, it is absorbed by the different stimulating substances from the organized fibre- for " " " auts naturally irritable, appear to be so, in proportion to the quantity of red blood conveyed to them - foresample the Heart - In Garts not irretable, are by the conveyance of red blood to them, when in a state of inplanmation, possessed of the highest degree of sensibility, and stimulability - as, in the morbid and tender granulations, of bones, ligaments, and

tendous. In this case the newes become preternaturally sensible, from the increased action of the blood repels - 3" Contractility may exist in those parts of the body, which do not contain red blood, but, not initability - as in the Eymphatics, whose action appears to resemble the elasticity of inan imale mallee. Not that I suppose every part to which red belood is carried, to be propersed of irritability, since the various glands for secretion have a much larger quantity sent to them, than what goes to the muscles, and yet, they are not propertied of this property; which seems to be altogether the result of muscular texture, without which it does not exist - Wherever muscular fibre is, there also is contractility- yet contractility can exist independant either of muscular fibre, or red globules-This has reference only to animated nature, for legetables possess initability, without having either red blood, or muscular fibre bygen however, they propels in large quantities; and the power and wis-down, of the fell wese preator, is abundantly coincer, by producing on different opecies of organ ization, similar effects, from the same cause -Probably this production of write-

bility, is owing to some peculiar structure of muscular fibre, by which, it is enabled to produce from the byggen, that effect, or principle, upon which the never may act, to include muscular motionebygen therefore, if it does not of itself absolutely form the principle of initability, seems at least, to be a condition of its existence in muscular fibre. Howler says, in his treatise on Animal Electricity, "That he is convinced, from a number of experiments, that this impluence, so far from distroying the contractility of the muscles, has a tendency to preserve it; and that Drygen is, no far as he knows, the only stimulus in Nature, whose effects are at all analogous -" It may then be presumed, that this nervous flued, or animal electricity is the Oxygen itself, peculiarly modified by the moving fibres of the body- (De balli, and others, in view of these, and similar facts, afout; " that those parts of the nemes hitherto looked upon as their extreme branches, are in fact, their origin - of this be so, the muscles may be considered as glands, of a peculiar action, secreting from the arteries, this animal influence, or irritability, and the newes as merely there excretory ducts - Many authors have looked

whom muscle in this light, and the supposition is much strengthened by the fact, that the brain in Man, in proportion to his bulk, is much greater than in any other animal; being four times as large as that of an ox pechaps six times his bulk -This is doubtless, for the exection of those faculties, which Man alove populates - But we do not find the nemes existing in the same ratio, but proportioned to the size of the animal, and to his organs of deuse. The substance of the heart itself propelses very few newer. The cardiac nerves accompanying the coronary arteres, appear more necessary to the action of those arteres, than to the heart itself, for its action is not accelerated by initating those nerves, as was observed by Haller, and others; heither is its motion affected if they be divided, or distroyed. Even wounds of the medulla spinales. The source of the nemes of the heart - do not alter its functione -Haller says it possesses but sew newes; hence its achow must be excited by the stimulus of the blood on its irritable principle - Opium applied externally to the heart, does not affect its molow; but durinished muscular action ensus, when applied to the muscles, or their newes- In apropley

all voluntary motion is suspended, yet the heart still continues its action; may more, it is often increased.

There is undoubtedly in the air, a certain electrical principle, which, being by respiration, communicated in different ways with the body inparts a natural tone to the fibres, occasions a quicker motion in the refaels, and increases and dimin ishes, by turns, the alacrity of the mind- Here, we have in few words, the principal effects of Dyygen - Quellen reports a case, in which the feeling of the hand was entirely lost, owing to halsy of the brachial artery, whose pulsations gradually ceased, from the wrist to the axilla here, as the never were uninjured, is evidently a convincing proof, that some portion of the blood is absolutely necessary to the purpose of sensation, indepen doutly of the newes- these, and many other considerations, which I omit, abundantly prove the bitality of the blood-for it appears strange that, from an inanemate map, all the bilal parts of the body, should be produced, or that, Grovidence should make so large a quantity of flued necessary to our existence, if nothing more than

merely the nourishment of our bodies was intended, as this express but a small proportion of it-Poisons when injected into the blood suefaels, cause instant death, but no ill effect is produced, when introduced into the stomach, or placed in contact with a newe- Blood preserves life in the different parts of the body; when the newer going to any part, are cut, or tied, that part becomes paralytic, but it does not mortify; if however, the artery be cut, the part dies, and mortification ensues

The Holy Scriptures assure us, "that in the blood, is the life of the flesh" The blood may their fore be considered as a pluid sui zeneris, such as man cannot compound. It is entirely uncon nected by adhesion to any part, in its ceaseless flow, and yet is essential to the existence, the nominhment, and the vitality, of every organized tipue of the body. We know not where or how it is created, from the inaminate map of chyle received. It is an imperium in imperio, and is apparently governed by laws, exclusively its own for it has no newes, or actual connection with any, and hence is devoid of sensibility; It is in short, the primum vivens, the ultimum morieus,

of created beings, and in every respect fully corroborates the above quoted Icriptural doctrine-

Hence, and hence only, can we comprehend the high estimate put upon it, by our Almighty brea tor; Hence, the eating of it was prohibited - Hence, it was the hast of the sacrifice peculiarly offered to Divine Majesty - Hence, the absolute, and unqualified law, laid down by God himself, and never abrogated, under either the old, or new covenant, that wholever the blood of man, by man should his blood be shed - And, to all this, may be added, that in the extensive compass of Medical literature, from the sailest period to the present time, amidst the numerous barieties of mousters, recorded by An atomists, of the want of Head, Brain, Stomach, Zungs, Heart Intestines, Liver, Bladder, in Most, of every individual organ, or tifue, the Blood alone, has never been found wanting-

From What I have baid, we may readily see, how important a frant Drygen acts in the body. Its uses we find are numerous. It will lead us to account for the fact so often repensed to, that the punctum baliens, or pulsation of the heart in a chick, is not evident, til the appearance of the

red globiles. As it is the Dyggen, which is the cause of the reducts of the blood, it maybe asked, how Dygen can enter into an egg? To this, I reply, that it has been fully prover, that the por tion of air, which we always find in one end of the egg, is Dyggenous gas, and that it is vitiated, in proportion as the chick arrives at materity; How, we do not precisely know, but, probably by absorption, as we find this gas in contact with the white of the egg, which is known to resemble, in many respects, the serum of the blood.

some of the wonderful phenomena of the animal economy. I now proceed to treat of

I shall first consider a few of the bacious theories, which have been propounded at different times - The first, of any importance, which we find is that of Bellini, who makes it consist in a Sentor, or obstruction of the extreme befalls in which red blood is contained. In this, he was followed by Boenhaave. This doction was however, completely refuted by fuller, and actual experiments have proven that no pech

obstruction occurs. This doctrine seems to have arisen from the appearance of the buffy coat, on the blood chawn in influmnation, and which was supposed to be caused by a preternat unal shifsitude of that pluid It is now, however well known, that in inplanmation, the blood is of a thenner consistence than usual, and the appearance of the buff is accounted for in this manner - The blood being longer in coagulating, the slutere, or coagulable lymph, permits the red globules to precipitate, and thus leave this yellowish tenacious substance, at the superior part of the respel in full biew But modern authors, Magendie and others) aprine us, that the yellowersh thateun, or buffy coat, consists of fibrus, Deparated from the red globules, and that a physical agency, perfectly independant of inflammation, (specific gravity) is the cause of this abnounced super-position of the fibrin -This buff, which is only an occasional appea rance in human blood, occur constantly in that of the Horse, and other animals, and there commonly forms two thirds of the total maps of the clot. The practical question to which the

subject of the buff leads, is, whether we can rationally deduce any consequences from its presence It has long been the invariable habit of Alloo pathic authors of treatises on practical medicine, to recommend attentive examination of the blood, and their instructions are generally followed, but the manner in which the task is performed is extremely superficial, and yet, from the scantyineformation thus obtained, the necessity of a seeond bleeding is very often interned. But how can the draw any inference of importance from the mesence of buff, when, as every one knows, its formation depends on bareous cucumstances, that have no sort of connection with disease? Thus, if the opening in the rein be too small; or, its paralleline with that of the enteguments imperfect; or, if a globule of fatineterfere with the flow of the blood, and cause the liquid to trickle away, it is certain no buff will form; But open the same been largely, and receive the blood into a narrow, and deep refsel, and on the following day, you will find the results in the two cases, widely different-Now this simple exposition of well known facts,

athouce exadicates, all pathological views, fourder whom the presence of the buff - Mat coursequence then, can be attached to the appearance of a condition, which extraneous agencies soma terially influence? Allohalts bleed, because the buff is an inflammatory phenomenon; and they bleed again, and again, to cause its disappearance. They sometimes succeed but why? There, are two reasons why it should so happen either the ha trent is worn out, and exhausted by the fre quent abstraction of blood, (and this is by far the most common cause and his improverished fluor, definited in a great measure, of there fileren, are absolutely incapable of affording any more of that principle for deparatione; or, if the individual be nobust, and plethouse, and his blood has resisted the means of ef fecting its decomposition, employed with so much hardihood-all this proves, is, that the last venesection was performed under conditrous, such as those above described, as being favorable to the production of the phenomenon. It is extremely difficult, as is very well known, to excedicate the most about preju-

dices - Inspire of the evidence of experience, Allohather continue to maintain, that the buff is the origin, and somee of inplanmation; and of course, continue to bleed, in defiance of all the information thus acquired, in order to com but the rideculous and absurd bughear of I a thologists; and, the they are, or ought to be aware, that the buff is cleveloped under every condition of the system, both in health, and disease - If bleeding be prescribed, because the blood is buffy, I heritate not to afsect, that those who so prescribe it, act in defiance of well authenticated & all - and hence, are the authors of irreparable injury to the human constitution Blood letting, employed by Allopaths, in nearly every acute disease, is one of the best means of inducing those very deseases in healthy individuals- Tolefacus the quantity of fibrin, proportionally increases that of the serum, and weakens the energy of coagulation and whatever intergeres with the coagulability of the blood, its most important quality, manifests itself by morbin allera Trong in the organs, whence in their turn, re-

sult a great variety of Serious general affections; In short, to bleeding alove may be attributed, much of the great mortality incident to large cities, where Physicians being numerous, and armed with the potent lancet, potent for evil, but powerless for good bleeding is resorted to, in nearly every acute disease with out regard to, or reckless of, consequences_ A second cause of inplammation, proposed by Boerhaave consisted of obstruc_ tron from Error Soci, or the papage of blood out of its proper repels, into those which con tam more subtil juices- hence, he says, the deat of an inflammation, may be as well in the arteries themselves, as in the veins, membranes, nerves, muscles, glands, bones, cartilages, and lendous, with all the viscera" - Another doctrine is, that of obstruction producinginritation. This may be an important means of producing inplanmation, acting as a remote cause, in debilitating the part-but it can never be the proximate cause -- I would here state, that I wish to be understood, as treating of inplammation, as it generally

makes its appearance in Phlezmon; the Jame of opinion, the term applies to every case in which any fluid, escaping out of its proper repels, into such as naturally contain a fine fluid, thereby produces on row Loci, and convilsine action of the nepels of the part, which by sympathy, or by their itation induced, may affect the smaller and serous nepels, and by debilitating them, produce an Error Loci of Red Blood, which will ultimately induce a true phlezmonic inplan-

deed tumous, attended with heat, reducts, tensione, and a throbbing pain; and if extensive, with fever A small inflammation of long continuance, will however induce fever in the system, by sympathy in the muscular fibres of the arteries. This I have frequently obsertions, in a tripling implammation of the extensity of the ginger, caused by merely pulling off a piece of the skin at the nail. — With respect to the Proximate cause of inflammation, I judge it to be, a convulsive, or inegular action in the refels of the fact,

often by sympathy bringing the whole arterial system into action, and thereby inducing the phlogistic diathesis - This diathesis may however exist, independantly of topical affection, and it there appears as a simple inflammalory peres the this is seldow the case, for some part will generally be in a State of greater debility, than the rest of the system, owing to a baruty of causes; from which circumstance, the effects of the circum lation will be felt in that, rather than in any other part - hence, according to the part on which it acts, will occur Ineumonia, Carditis, Fleuritis, Se of different degrees of bio lence, proportioned to the acting causes. All the phenomena which occur in inflammation, Thew distinctly, the existence of inegular achow in the part-Of the Remote causes of Inflammation. These may be divided into fine heads -I " The application of sumulant substances-2. External biolence ofrerating mechanically, in wounding, bruising, compreping, or over stretching the parts; 3. Extraneous substances

lodged in any part of the body, irritating by their chemical acrimony, or mechanical form, or compressing by their bulk, or gravity A" A certain degree of colo, not immediately sufficient to produce gangrene 3 " An increased impeter of the blood, determined to a particular part-A view of these remote causes will thew, that, they all evidently act, by including (Debility in the part, before inflammation care take place-Indeed their chief action is that of debilitants, by which they give an oppor tunity for the action of the exciting cause of Error Loci - This, in true phligmonic inflam mation, consists of new globules paping into derous hefsels, which they quickly excite into action, by their exceps of stimulus, and by sym pathy, or initation, the surrounding ones, are soon brought into the same state. Timagine therefore, that without Error Loce, Inflammation cannot exist, and that Enor doci cannot occur, until the part is debilitated - The Error Soci may occur either. I" From a layity of the refacts of the

part, unaccompanied by any greater momen turn in the force, or belocity of the blood 2" From an increase of the bloods momentume. 02, 3" By a combination of both -To sum up in a few words, my ideas of inflammation. The remote causes act bey inducing debility hence Error Love, which acts as an exciting cause upon the accumu later excitability of the debilitated muscular files of the arteries; and thereby produces convulsion, or inegular action in the lufaels of the part-Of the Terminations of Inflammation -If inflammation be cared, without loss of substance, and while the state, and texture of the part remain entire, the disease is said to terminate by Resolution. If from the excefs of the inplanmation, and bioleut inpetus of the blood, the repels are ruptured, and then contents poured out, a re-absorption does not readily take place; but the bluids un der go a particular change; being converted into Ous. At the same time, an abatement of the reduces, heat, and pain occur, and the disease is now said, to terminate by Suppunation.
The part containing this collection of Pus, is called an alescefs.

It sometimes happens, either from the

It sometimes happens, either from the extreme violence of the inflammation, or from some peculiar acrumony of the pluids of the diseased part, or from very great debility in the part, that the degree of inflammation neces say to the production of Pus, cumot take place; so that, the effused fluids are affected with a state, approaching more, or less, to putrefaction When this is moderate in degree, and affects chiefly the fluids effused - the parts are fair to be in a state of Gangrene - But if the solids also become affected, the disease is then termed Iphacelus, or Mortification - It is not always necessary for gangrene to be preceded by Suppuration - In inplanmation the lendericy to gaugeene may be apprehended from anextreme violence of pain, and heatin the inplanned part, and from a great degree of pyrexin attending the inflammation. The actual coming on of gaugiene, may be perceived by the colour of the inflamed part changing from

a clear, to a clack red; by blisters arising upon the part, becoming root, placed, and insensible; and by the cepation of all pain, when these appearancies occur - As the Gangrene proceeds, the colour of the part becomes lived, and by de grees, quite black the heat of the partentireby ceases the softness, and placeivity increase the part loses its consistence exhales a cabaherous odown - and may then be considered as af fected with Thhacelus - Another termination of inflammation is, in Schirrus, or an indolent hardness of a part This termination appears to be wholly connected with glandular parts - as the hose, mouth, breasts, testes liver, Interus, spleen de I do not recollect a single instance of any, save glandular parts, being af fected by a time Ichinus - It is entirely walless to exterpate a cancerous breast, until me can totally, and entirely remove the infected glands, as, the concerous humour left behind, will most assuredly renew the disease, and generally, with redoubled virulence -Of the Prognosis of Inflammation-This may be concisely summed up - Hus - The

progress of an implanmation is deduced from considering its cause - part affected - magnitude - depthe - violence - the habit of the patient - the several symptoms - and, by comparing these, with the demonstrative signs, and effects, or consequences of the inflammation -

Maving their considered, the imperfeetly, those subjects which I proposed examining in the commencement of this inquiry - I cannot conclude, without noticing the wonderful, yet uniform simplicity, existing throughout all the operations of Nature - It clearly evinces the connect. son of truther, and that they are all links of one great chain mutually sustaining, and strengthening each other. By the operation of a single cause the decomposition of bital air, and sub sequent fixation of its base - We see the production of Combustion; Respiration, and its effects; the Dyydation of metals; and Fermen tation - How can me sufficiently admine this amazing simplicity in the works of hature? or, to speak more properly, how can me sufficiently admire, and adore, the Wirdom of that great Being, from whom this simplicity is derived.

Concider Interior Medica.